

MACHINE-DATA

Machinetype	: Center Lathe
Make	: HUVEMA
Type	: HU 460 x 1500 NG
Year	: 2021
Control type	:
Control	:
Storage location	: Werk
Origin	: Taiwan
Delivery time	: approx. 1 week
Quotation	: ab Werk
Price	: on request



TECHNICAL DATA

turning diameter over bed	460 mm
turning diameter over slide rest	274 mm
turning length	1500 mm
spindle bore	58 mm
spindle turning speed range	25 - 2000 U/min
turning dia. in gap	690 mm
metric threading	41 / 0,1 - 14 mm
thread - inch	60 / 2 - 112 inch.
thread - module	34 / 0,1 - 7 mm
Whitworth-thread	60 / 2 - 112 TPI
adjustment of the upper slide	140 mm
dia. of quill	60 mm
quill stroke	120 mm
total power requirement	5,5 kW
weight of the machine ca.	1,7 / 2,0 t
dimensions of the machine ca.	2,2 x 1,0 x 1,3 m

TECHNICAL DESCRIPTION

Lathe with precision ground and induction hardened bed. Very suitable for use in workshops and training centers. Standard accessories include a Newall digital display. The machine is built according to CE directives. The machine is also available 1 m and 2 m.

Features:

3-jaw chuck 250 mm

4-jaw chuck 31 5mm

Center Lathe
HUVEMA
HU 460 x 1500 NG
Stock no. :1053-015125



2-axis Newall digital display
European supported protective cover
Fixed and travelling steady rest
Halogen lighting
Solid cast iron base frame
Quadruple steel holder


VIDEO-LINKS

WEB-LINK

https://lagermaschinen.de/maschinen-datenblatt/Center_Lathe/HUVEMA/HU_460__x_1500_NG/1053-015125

Center Lathe
HUVEMA
HU 460 x 1500 NG
Stock no. :1053-015125

MACHINE PICTURES



Center Lathe
HUVEMA
HU 460 x 1500 NG
Stock no. :1053-015125
