

## MACHINE-DATA

|                  |                                 |
|------------------|---------------------------------|
| Machinetype      | : Plate Shear - Hydraulic       |
| Make             | : BAYKAL                        |
| Type             | : HGL 2600/6                    |
| Year             | : 1994                          |
| Control type     | : ELGO TYP 71                   |
| Control          | : ELGO TYP 71                   |
| Storage location | : ab Standort                   |
| Origin           | :                               |
| Delivery time    | : immediately                   |
| Quotation        | : EXW- ex works (free on Truck) |
| Price            | : on request                    |



## TECHNICAL DATA

|                           |                       |
|---------------------------|-----------------------|
| sheet width               | 2560 mm               |
| plate thickness           | 6,00 mm               |
| thickness at "Niro-steel" | 4,00 mm               |
| distance between columns  | 2600 mm               |
| down holder               | 12 Stück              |
| no. of strokes            | 20 Hub/min            |
| oil volume                | 160 ltr.              |
| cutting angle             | 1.6 °                 |
| Control                   | ELGO TYP 71           |
| back stop - adjustable    | max. 750 mm           |
| total power requirement   | 11.37 kW              |
| weight                    | 3800 kg               |
| range L-W-H               | 3030 x 1910 x 1510 mm |

## TECHNICAL DESCRIPTION

**\*\* Current new price approx. 37.000 euros**

**\*\* Special price on request**

### *Furnishing:*

- Robust electric hydraulic swing cutter
- Elgo type 71 digital control unit
- \* Driving back stop x = 750 mm
- \* play -free ball circuit spindle for back attack
- \* Speed 100 mm/sec
- 1x side stop
- \* with a t-groove, flip stop and millimeter scale

Plate Shear - Hydraulic  
**BAYKAL**  
HGL 2600/6  
Stock no. :1073-94155



- 2x front reversing arms
- Electrical cutting length limit
- \* Cutting length limitation to increase the number of lifts/min.
- Manual interpretation
- front finger/intervention protection
- TIP operation with push buttons on the switch on the left
- original operating instructions

## VIDEO-LINKS

## WEB-LINK

[https://lagermaschinen.de/maschinen-datenblatt/Plate\\_Shear\\_-\\_Hydraulic/BAYKAL/HGL\\_2600\\_6/1073-94155](https://lagermaschinen.de/maschinen-datenblatt/Plate_Shear_-_Hydraulic/BAYKAL/HGL_2600_6/1073-94155)

## MACHINE PICTURES



| Baykal         |              |        |       |
|----------------|--------------|--------|-------|
| TIP            | TYPE         | 2600/6 |       |
| MODEL          | YEAR         | 1996   |       |
| SERİ NO        | SERIAL NO    | 85     |       |
| BASKI KUVVETİ  | PRESSURE     | -      | Ton   |
| STROK          | STROKE       | -      | mm    |
| KESME/DAK      | CUTS/min     | -      | 1/min |
| MOTOR GÜCÜ     | MOTOR POWER  | -      | kW    |
| GERİLİM        | VOLTAGE      | 380    | V     |
| YAĞ KAPASİTESİ | OIL CAPACITY | 180    | Lt    |
| BOY            | LENGTH       | 3250   | mm    |
| EN             | WIDTH        | 1750   | mm    |
| YÜKSEKLİK      | HEIGHT       | 1500   | mm    |
| AĞIRLIK        | WEIGHT       | 4000   | kg    |

